


## STR001

### Features:

- The track is work with 12-24V power supply (customizable), which is convenient for installation and can be connected to the power supply after plugging in.
- According to the needs of different occasions, the space layout can be controlled arbitrarily. The metal panels, wood panels and glass panels can be freely combined.
- Max weight to hold up to 30 kg.
- With customized cabinet lights, the track shelf like will look more beautiful.




### Accessories:



STR001




STR001-HT




STR001-AP




STR001-HP



STR001-HM




STR001-HL/HR




STR001-HG

## Size:


STR001




STR001-HT




STR001-AP




STR001-HP




## STR001-HM



## STR001-HI




## STR001-HG




## Installation method:


### Installation method of STR001




Pre-groove on the wall for installing STR001.




Insert two tracks (Code: STR01-HT) into the groove on both sides of STR001.



Fix STR001 with screws.




Use decorative wall to cover and embed STR001 on the wall.



Insert power connector (Code: STR001-AP) into STR001 from the top to make STR001-HT power on.


### Installation method of metal plates




Insert power connector (Code: STR001-AP) into two STR001-HM and fix.




Insert two STR001-HM into the STR001-HI on the left and right ends respectively.



Place the metal plates on the STR001-HI and use the slot to fix it.



Lead the power cord through the channel reserved for the shelf and connect it to the finished light.



Use the magnetic attraction function of the finished light to fix it on the metal plates.




The installation is complete.


## Installation method of wooden board




Embed the finished lamp into the board, and reserve a groove for the wire on the side.




Drill holes at the corresponding positions on the board and install expansion screws.



Insert two power connector (Code: STR001-HP) into STR001-HL (left) and STR001-HR (right) to fix.



Connect the lamp and STR001-HL with a male and female connector.



Fix the STR001-HL/HR on both sides of the wooden board with screws corresponding to the position of the expansion screw plug.



Insert the STR001-HR of the installed STR001-HP into the STR001 and fix it to turn on the power, the light will be lit.




Insert the STR001-HL on the other side of the installation is complete.




The installation is complete.


## Installation method of glass plates




Insert two power connector (Code: STR001-HP) into two STR001-HG respectively.



Insert rubber pads on the two STR001-HG to reduce glass damage.



Insert STR001-HG into STR001 on both sides and fix.



Insert the glass plates into the slot corresponding STR001-HG and fix it.



The installation is complete