





LED ALUMINUM PROFILE ANNUAL CATALOGUE

CONTACT US

- (a) www.surmountor.com/www.sur-led.com/www.ledstrip.cc
- ADD:4/F, No.2 Factory Building, Dayang, No.4 Tangwei Industrial Avenue, FuHai Street, Bao'an, Shenzhen, China



2024-2025

ONE-STOP SERVIC

Surface Mounting Series / Pendant Series / Recessed Series Corner Series / Floor Series / Stair Series




TABLE OF CONTENTS

About Surmountor

Company Overview	01-02
Linear Lighting System	03-04

LED Aluminum Profile

ED Aluminum Profile Introduction	05
Certificate	06
Various Installation Ways	07
Application	08
Dimensions of LED Profile	09-14
Sample Kit Series	15-16
Surface Mounting Series	17-32
Recessed Mounting Series	33-42
Angle/Corner Series	43-50
Nall Edge/Gypsum Series	51-60
Step/Floor Series	61-64
Shop Fitting/Shelves Lighting Series	65-66
Naterproof/Plastic Series	67-70
Round Shape Series	71-74
Pendant/Suspension Series	75-82
Bendable Recessed Aluminium Profile	83-84

ABOUT OUR COMPANY





We are professional manufacturer!


Surmountor Lighting Co.,LTD was founded in 2011, and has been diligently devoted in the LED lighting industry. With over 10 years experience, We are specialized in LED Neon Flex, Linear Lighting, LED Flexible Strip, LED Sensor Switches and LED Aluminum Profile, . And our products are widely used in outdoor or indoor lighting, hotel lighting, office lighting, shop lighting, kitchen lighting, etc.

Our factory is over 8000m², with more than 100 employees. What's more, with the aim to be continuously competitive, our company is equipped with 10 professional R&D staffs. Our factory production monthly capacity reach more than 120,000 meters of flexible LED strips, 150,000 meters LED profiles, 100,000 pieces sensor switches, 36000 meters of neon light and so on.

One-stop production and Continuous innovation!

With wide range led products line, we concentrate on offering one stop and one package service. To fulfil our worldwide partners different needs, our R&D departments always commit to continuously creating and innovating new products. In 2017, we developed LED Neon Lights. All of our neon flex products are of matte-finished texture, which helps feeling elegant and of higher quality level.





We have an excellent team!

Our energetic and creative sales team understand customers' demands deeply and solve problems promptly. Every customer will be concerned and respected seriously, patiently, responsibly from enquiry-design-sampling-order-production-export-after sales service. Based on all our efforts, we attained great achievements and progress in the past 10 years, and also help our customers to expand their markets by constantly developing new products.

Our strength and pursuit!

Our main strength is equipped with professional engineers, can provide customers with customized lighting solutions and win the market with clients together.

Our goal is to build long term win-win relationship with our customers.



We have ISO quality control System!

Our LED products are quality oriented and have passed a series of certifications, including CE, RoHS, UL, ISO9001:2015 management system, etc. We are committed to continuously providing our customers with high performance and reliable quality products. By offering competitive price, stable quality, timely delivery and good service, we gained good reputation among our customers all over the world, such as Europe, North America, Latin America, Australia, Middle East and Southeast Asia



LINEAR LIGHTING SYSTEM

The linear lighting system is designed to explore completely the potentials of installing and connecting providing to designers, architects and engineering parties the flexible solutions in space and lighting design with the various led aluminum profiles, led strip, sensor switch, power supplies, connectors and accessories.



COMMERCIAL LIGHTING



SALOON LIGHTING

KITCHEN LIGHTING

LED ALUMINUM PROFILE







Black

Silver

White

PC/PMMA COVER









PC Cover

PMMA Cover

COB LED Strip

POWER SUPPLY

LED STRIP

Rigid Strip

LED SENSOR SWITCH









Waterproof

Flexible Strip

Internal

External

Non-waterproof

CONNECTORS













Accessories

X Shape

L1 Shape

L2 Shape

L3 Shape

T Shape

INSTALLATION ACCESSORIES



Plastic Mounting Clip



Metal Mounting Clip



Adjustable Bracket



Spring Clip(Recessed)





Steel Rope

Wall Mounting Fixtures



CERTIFICATE

We provide products of quality assurance, with ISO9001-2015 certificate. Meanwhile, high quality is what we insist on. Our aluminum profile is certified by RoHS.



LED ALUMINUM PROFILE INTRODUCTION


Aluminum Parameters	5
Material	Aluminum alloy 6063-T5
Anodized Thickness	10μm
Mounting	For Surface, Recessed, Suspended Mounting, Stair, Dry wall, Floor, Glass Shelf, Bendable, Waterproof etc.
Color	Aluminum silver for standard
*Customized color can be ordered	

CERTIFICATE OF REGISTRATION Part Not worth And for navegueure space of Surmountor Lighting Co., Limited Name of join for and pill rives. And registration of the Surmountor Lighting Co., Limited Name of join for and pill rives. And registration of the Surmountor Lighting Co., Limited Name of join for and pill rives. And registration of the Surmountor Lighting Co., Limited Name of join for and pill rives. And registration of the Surmountor Lighting Co., Limited Name of join for and pill rives and pill rives. It for the surmountor lighting Co., Limited Name of join for and pill rives. And registration of the Surmountor lighting Co., Limited Name of joint for and pill rives. And registration of the Surmountor lighting Co., Limited Name of joint for and pill rives. And registration of the Surmountor lighting Co., Limited Co., Limited



Cover Parameters

Material	PC/PMMA
UL Flammability Of PC cover	UL94V-2
Mounting	Clip the cover to the aluminum profile from the top
Standard Type	Transparent, Frosted, Milky
Special Types	60°cover(PMMA)




ISO9001-2015

RoHS

VARIOUS INSTALLATION METHODS

- Optional installation accessories
- More convenient installation
- More extensive application



Surface Mounting



Corner



Pendant



Floor




Recessed



Stair

Application
















DIMENSIONS OF LED PROFILE

SURFACE MOUNTING SERIES





DIMENSIONS OF LED PROFILE


C1710





WALL EDGE/GYPSUM SERIES

































ANGLE/CORNER SERIES
















































DIMENSIONS OF LED PROFILE


STEP/FLOOR SERIES


















WATERPROOF/PLASTIC SERIES














ROUND SHAPE SERIES















PENDANT/SUSPENSION SERIES













SHOP FITTING/SHELVES LIGHTING SERIES










PE001





SAMPLE KIT





FEATURES

Led Profile sample kit About 70 different models Please contact us for drawing details











SURFACE MOUNTING SERIES

C1806









Internal width: 12.21 mm

Material: Anodized aluminum extrusion

Length: 1~3 meter

Dimension: 18x5.5 mm Application: Surface

Customized color can be ordered



A1008







A1110/A1110-B







PRODUCT SIZE



MAXIMUM BEND RADIUS

6"/152.4 mm



STANDARD ACCESSORIES



Profile x1 1~3 Meter



PC Cover x1 Transparent Frosted Milky



End Cap \times 2 1 with hole 1 without hole



Mounting Clip × 2 Metal

FEATURES

Internal width: 6 mm


Material: Anodized aluminum extrusion

Length: 1~3 meter

Dimension: 9.92×8.35mm Application: Surface

Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1 1~3 Meter



Milky

PC Cover x1 End Cap ×2 1 with hole Transparent Frosted 1 without hole



Mounting Clip x2

FEATURES


Internal width: 8 mm

Material: Anodized aluminum extrusion

Length: 1~3 meter Dimension: 10.8×10mm Application: Surface

Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1 1~3 Meter



OPTIONAL ACCESSORIES

Milky



PC Cover ×1 Transparent Frosted



End Cap ×2 1 with hole 1 without hole

Mounting Clip ×2 Plastic



Magnet

INSTALLATION









2: With Clip











Interior lighting, curved lighting for display counter



A1506/A1506-W/A1506-B







FEATURES

Internal width: 11.16 mm

Material: Anodized aluminum extrusion


Length: 1~3 meter

Dimension: 15.21×7.04/15.21×6.04mm

Application: Surface

Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1 1~3 Meter



Transparent Frosted

New End Cap x2

1 without hold

1 with hold

Milky

OPTIONAL ACCESSORIES



End Cap × 2 1 with hole

1 without hole



Plastic

Mounting Clip x2



Mounting Clip x2 Metal



New End Cap x2 1 with hold 1 without hold

C1506/C1506-B







FEATURES

Internal width: 11.16 mm

Material: Anodized aluminum extrusion


Length: 1~3 meter

Dimension: 15.21 × 7.04/15.21 × 6.04 mm

Application: Surface

Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1 1~3 Meter



Transparent Frosted Milky



End Cap × 2 1 with hole 1 without hole



Mounting Clip x2 Plastic

OPTIONAL ACCESSORIES





A1612

FEATURES

Internal width: 11.2 mm

Dimension: 16×13 mm

Application: Surface

Length: 1~3 meter

Material: Anodized aluminum extrusion

Customized color can be ordered







A1707/A1707-B/A1707-W







FEATURES

Internal width: 12.4 mm

Material: Anodized aluminum extrusion

Length: 1~3 meter Dimension: 17.4×8.2 mm Application: Surface

Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



1~3 Meter





Transparent

Frosted

Milky






End Cap ×2 1 with hole 1 without hole



Mounting Clip ×2

PRODUCT SIZE



STANDARD ACCESSORIES



1~3 Meter



Transparent

Milky/Black

Frosted





1 with hole

1 without hole



Mounting Clip ×2

OPTIONAL ACCESSORIES



Metal

Mounting Clip ×2 End Cap×2 Left+right

Both with hole



Connector ×1



Transparent Sand blasted









A1713













FEATURES

Internal width: 13 mm

Material: Anodized aluminum extrusion

Length: 1~3 meter Application: Surface

Customized color can be ordered

FEATURES

Internal width: 12.4 mm

Material: Anodized aluminum extrusion

Length: 1~3 meter

Dimension: 17.4×15.7 mm Application: Surface

Customized color can be ordered

A1920

FEATURES















Dimension:17×13 mm

Internal width: 13 mm

Material: Anodized aluminum extrusion

Length: 1~3 meter

Dimension:18.5×19.9 mm

Application: Surface

Customized color can be ordered

FEATURES


Internal width: 16.8 mm

Material: Anodized aluminum extrusion

Length: 1~3 meter Dimension: 21×21 mm Application: Surface

Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



Profile ×1 1~3 Meter



PC Cover x1 Transparent Frosted Milky





2 without hold Screw For End Cap ×4 PB2x8 mm



Plastic

PRODUCT SIZE



STANDARD ACCESSORIES



1~3 Meter

Mounting Clip ×2



PC Cover ×1 Transparent Frosted



End Cap ×2 1 with hole 1 without hole



Mounting Clip ×2 Plastic

Profile ×1 1~3 Meter

PRODUCT SIZE



STANDARD ACCESSORIES



PC Cover ×1 Transparent Frosted



End Cap ×2 1 with hole 1 without hole



Mounting Clip ×2

PRODUCT SIZE



STANDARD ACCESSORIES







PC Cover ×1 Transparent Frosted

Milky



End Cap ×2 1 with hole 1 without hole



Metal

OPTIONAL ACCESSORIES





3) 60° mounting clip



Male&Female End Cap ×2 2 without hole Screw For End Cap x4 PB2x8 mm



End Cap ×2 Left+right Both with hole



Metal









A2310/A2310-B







FEATURES

Internal width: 20.05 mm

Material: Anodized aluminum extrusion

Length: 1~3 meter

Dimension: 23.5×10.72mm

Customized color can be ordered

Application: Surface

PRODUCT SIZE



STANDARD ACCESSORIES



Profile ×1 1~3 Meter



Transparent Frosted Milky



End Cap ×2 1 with hole 1 without hole





Plastic

Mounting Clip ×2





1.5m steel rope × 1 set



A2623

FEATURES







Internal width: 20.04 mm

Material: Anodized aluminum extrusion

Length: 1~3 meter

Dimension:26.2×22.76mm

Application: Surface

Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES







Transparent Frosted



End Cap ×2 Plastic

OPTIONAL ACCESSORIES







D001

FEATURES

Internal width: 16.5mm

Dimension: 19.5×21.8mm

Customized color can be ordered

Length: 1~3 meter

Application: Surface

Material: Anodized aluminum extrusion









D002

FEATURES







Internal width: 16.5 mm

Material: Anodized aluminum extrusion

Length: 1~3 meter Dimension: 19.5×22 mm Application: Surface

PRODUCT SIZE

Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES





Mounting Clip x2

Metal



Frosted

Milky

OPTIONAL ACCESSORIES





End Cap ×2 1 with hole

1 without hole



Plastic




Mounting Clip ×2











1 with hole 1 without hole

Metal

OPTIONAL ACCESSORIES

Milky



1~3 Meter

Mounting Clip x2 Plastic







D003A































D003D









FEATURES

Internal width: 16.5 mm

Material: Anodized aluminum extrusion

Length: 1~3 meter

Dimension: 19.5×14.11 mm Application: Surface / Pendant Customized color can be ordered

FEATURES

Internal width: 16.5mm

Material: Anodized aluminum extrusion

Length: 1~3 meter

PRODUCT SIZE

Dimension: 19.5×19.9mm Application: Surface / Pendant Customized color can be ordered

FEATURES

Internal width: 16.5 mm

Material: Anodized aluminum extrusion

Length: 1~3 meter

PRODUCT SIZE

Dimension:19.5×20.1mm Application: Surface / Pendant Customized color can be ordered

FEATURES


Internal width: 16.5mm


Material: Anodized aluminum extrusion

Length: 1~3 meter

Dimension: 19.5×30.5mm Application: Surface / Pendant Customized color can be ordered

PRODUCT SIZE





STANDARD ACCESSORIES



Profile ×1 1~3 Meter



PC Cover x1 Transparent Frosted Milky



End Cap ×2 Metal 1 with hole



1 without hole



Screw For End Cap ×4 KM2×5 mm



Profile ×1 1~3 Meter



STANDARD ACCESSORIES

Transparent Frosted Milky







Screw For End Cap ×4 KM2×5 mm



Profile ×1

1~3 Meter

Mounting Clip×2

Metal



STANDARD ACCESSORIES



Milky









Screw For End Cap ×4 KM2×5 mm

PRODUCT SIZE



STANDARD ACCESSORIES







Milky









KM2X5 mm

OPTIONAL ACCESSORIES



Mounting Clip ×2 Metal

OPTIONAL ACCESSORIES



1.5m steel rope × 1 set

Mounting Clip ×2 Metal



OPTIONAL ACCESSORIES



1.5m steel rope ×1 set

OPTIONAL ACCESSORIES



1.5m steel rope ×1 set



Mounting Clip ×2 Metal



1.5m steel rope ×1 set









D004





















Internal width: 16.5 mm

Material: Anodized aluminum extrusion

Length: 1~3 meter

Dimension: 19.5×14.4 mm Application: Surface

Customized color can be ordered

D006









FEATURES

Internal width: 16.5mm

Dimension: 19.5×27mm Application: Surface

Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



Profile ×1 1~3 Meter



PC Cover ×1 Transparent Frosted Milky



End Cap ×2 1 with hole 1 without hole



Plastic



Mounting Clip ×2

Profile×1 1~3 Meter



Transparent Frosted Milky







Mounting Clip×2 Plastic

OPTIONAL ACCESSORIES



Mounting Clip ×2 Metal

Material: Anodized aluminum extrusion

Length: 1~3 meter

PRODUCT SIZE



STANDARD ACCESSORIES









1 with hole 1 without hole

OPTIONAL ACCESSORIES



Mounting Clip ×2

F001

FEATURES

Internal width: 12.4mm


Material: Anodized aluminum extrusion

Length: 1~3 meter Dimension: 52.1×8.3mm

Application: Surface

Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1

1~3 Meter



Frosted

Milky





End Cap ×2 1 with hole 1 without hole

OPTIONAL ACCESSORIES



Bracket End Cap x2

F002

ISO ISIONI 2015







FEATURES

Internal width: 12.43 mm

Material: Anodized aluminum extrusion

Customized color can be ordered

Length: 1~3 meter

Dimension: 29.52×6.96mm

Application: Surface

PRODUCT SIZE



STANDARD ACCESSORIES







Transparent

Frosted

Milky



1 without hole



Mounting Clip ×2





F003









FEATURES

Internal width: 10 mm


Material: Anodized aluminum extrusion

Length: 1~3 meter

Dimension: 19.71×7.61mm Application: Surface

Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



Profile ×1 1~3 Meter



PC Cover ×1 Transparent Frosted Milky



End Cap ×2 1 with hole 1 without hole



A3535







ROHS

FEATURES

Internal width: 31 mm

Material: Anodized aluminum extrusion

Length: 1~3 meter Dimension: 35×35 mm Application: Surface

Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



1~3 Meter

Mounting Clip ×2

Metal



Frosted Milky



PC Cover ×1 Transparent

End Cap ×2 1 with hole 1 without hole

C5032

FEATURES

Internal width: 39.18 mm

Length: 1~3 meter

Dimension: 50×32 mm

Application: Surface / Pendant Customized color can be ordered

Material: Anodized aluminum extrusion
















PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1 1~3 Meter



PC Cover x1 Milky/ Frosted Transparent



End Cap ×2 1 with hole 1 without hole



Screw For End Cap ×4 KM2×5 mm



Mounting Clip ×2 Metal

OPTIONAL ACCESSORIES



1.5m steel rope ×1 set

CONNECTORS (Optional)



2) C2: 90° surface connector 3) C3: 90° vertical connector 4) HM4x4mm screw

1) C1: 180° connector







Tshape

C7532











FEATURES

Internal width: 64.18 mm


Material: Anodized aluminum extrusion

Length: 1~3 meter


Dimension: 75×32 mm

Application: Surface/Pendant

Customized color can be ordered



PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1 1~3 Meter



PC Cover x1 Milky/ Frosted Transparent



End Cap ×2 1 with hole 1 without hole



Mounting Clip ×2 Metal

OPTIONAL ACCESSORIES



1.5m steel rope ×1 set


CONNECTOR (Optional)



1) C1: 180° connector

4) HM4x4mm screw

2) C2: 90° surface connector 3) C3: 90° vertical connector









RECESSED MOUNTING SERIES



FEATURES

Internal width: 5.5mm

Material: Anodized aluminum extrusion

Length: 1~3 meter


Dimension: 7.3 ×9.3 mm

Difficioni. 7.0 0.0 min

Application: Cabinet, supermarket, home furnishings

Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES







A0809

FEATURES

Internal width: 5.6 mm

Material: Anodized aluminum extrusion


Length: 1~3 meter

Dimension: 8 ×9 mm

Application: Cabinet, supermarket, home furnishings

Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1



Transparent
Frosted
Milky



End Cap ×2
1 with hole
1 without hole

A1209

FEATURES









A2212







Internal width: 5.6 mm

Material: Anodized aluminum extrusion

Length: 1~3 meter

Dimension: 12.8×9mm

Application: Cabinet, supermarket, home furnishings

Customized color can be ordered



STANDARD ACCESSORIES





Milky



End Cap ×2
1 with hole
1 without hole

FEATURES

Internal width: 11.2 mm

Material: Anodized aluminum extrusion

Length: 1~3 meter

Dimension: 22.01×12.98mm

Application: Recessed

Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES









Milky



End Cap ×2
1 with hole
1 without hole





FEATURES

Intermal width: 11

Length: 1~3 meter

Dimension: 22.03×7.02mm

Customized color can be ordered

Application: Recessed

Material: Anodized aluminum extrusion










Internal width: 11 mm

Material: Anodized aluminum extrusion

Length: 1~3 meter Application: Recessed

Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1 1~3 Meter



PC Cover x1 Transparent Frosted Milky



End Cap ×2 1 with hole 1 without hole



B2407










FEATURES

Dimension: 24×6.94mm

PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1 1~3 Meter



Transparent Milky



End Cap ×2 1 with hole 1 without hole

OPTIONAL ACCESSORIES



Mounting Clip ×2 Metal

A2507/A2507-B







A2515







FEATURES

Internal width: 12.39mm

Material: Anodized aluminum extrusion

Length: 1~3 meter Dimension: 23.7×8.2mm Application: Recessed

Profile Colors Available: Silver, Black, White

Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES











End Cap ×2 1 with hole 1 without hole

OPTIONAL ACCESSORIES

Milky



End Cap x2 Left+right both with hold



Mounting Clip x2 Plastic



B2507

FEATURES

Internal width: 12.4 mm

Material: Anodized aluminum extrusion


Length: 1~3 meter Dimension: 23.7×15.7mm

Application: Recessed

Customized color can be ordered

Profile Colors Available: Silver, Black, White

PRODUCT SIZE



STANDARD ACCESSORIES







PC Cover x1 Transparent Frosted Milky



OPTIONAL ACCESSORIES



Mounting Clip x2 Metal



Mounting Clip x2









A2520









Internal width: 12.44 mm

Material: Anodized aluminum extrusion

Length: 1~3 meter

Dimension: 23.66×18.36mm

Customized color can be ordered

A2810

FEATURES

Internal width: 20.05mm

Dimension: 28.05×10.72mm

Customized color can be ordered

Length: 1~3 meter

Application: Recessed

Material: Anodized aluminum extrusion








FEATURES

Application: Recessed

PRODUCT SIZE



PRODUCT SIZE



STANDARD ACCESSORIES



Profile ×1 1~3 Meter



Transparent Frosted Milky



End Cap ×2 1 with hole 1 without hole



Mounting Clip ×2 Spring

Profile ×1

1~3 Meter



PC Cover ×1 Transparent Frosted Milky

End Cap ×2 1 with hole 1 without hole

OPTIONAL ACCESSORIES

STANDARD ACCESSORIES



Mounting Clip ×2 Plastic

A3619







A3628





FEATURES


Internal width: 14 mm

Material: Anodized aluminum extrusion

Length: 1~3 meter Dimension: 46×18.3mm Application: Recessed

Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES







PC Cover x1 Transparent Frosted Milky




Internal width: 19 mm

Material: Anodized aluminum extrusion

Length: 1~3 meter Dimension: 36×28mm Application: Recessed

Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES







PC Cover x1 Transparent Frosted Milky



End Cap ×2 1 with hole 1 without hole

Spring

A4435











FEATURES


Internal width: 30 mm

Material: Anodized aluminum extrusion

Length: 1~3 meter

Dimension: 44×35 mm

Application: Recessed / Pendant Customized color can be ordered



PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1 1~3 Meter



PC Cover x1 Transparent Milky/ Frosted



End Cap ×2 1 with hole 1 without hole



Screw For End Cap ×4 KA2. 3x6 mm

Mounting Clip ×2

OPTIONAL ACCESSORIES









End cap ×2pcs

CONNECTOR (Optional)







X shape



T shape



1) C1: 180° connector 2) C2: 90° surface connector 3) C3: 90° vertical connector 4) HM4x4mm screw

PROJECT



C6532









FEATURES

Internal Width: 39.18 mm

Material: Anodized aluminum extrusion

Length: 1~3 meter Dimension: 65×32 mm

Application: Recessed / Pendant Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1 1~3 Meter

KM2x5 mm



PC Cover x1 Transparent Milky/ Frosted

Mounting Clip ×4

Spring



End Cap ×2 1 with hole 1 without hole



L shape



X shape



T shape



1) C1: 180° connector 2) C2: 90° surface connector 3) C3: 90° vertical connector 4) HM4x4mm screw

PROJECT















FEATURES

Internal width: 5mm

Material: Anodized aluminum extrusion

Length: 1~3 meter

Dimension: 17.4×8.5mm

Application: Recessed

Customized color can be ordered

RôHS C1710







FEATURES

Internal width: 8 mm

Material: Anodized aluminum extrusion


Length: 1~3 meter

Dimension: 17.2×9.8 mm

Application: Recessed

Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES







PRODUCT SIZE



Profile x1 1~3 Meter



PC Cover x1

STANDARD ACCESSORIES



End Cap ×2

1 with hole

1 without hole

C9032











FEATURES


Internal width: 64.18 mm

Material: Anodized aluminum extrusion

Length: 1~3 meter
Dimension: 90×32 mm
Application: Recessed

Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES







PC Cover x1
Transparent
Frosted
Milky



End Cap ×2 1 with hole

1 without hole



Mounting Clip x4
Spring

ANGLE/CORNER SERIES

A1616







FEATURES

Internal width: 10.2 mm

Material: Anodized aluminum extrusion

Length: 1~3 meter

Dimension: 16×16 mm Application: Corner

Customized color can be ordered



PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1 1~3 Meter

Mounting Clip ×2 Plastic

OPTIONAL ACCESSORIES



PC Cover x1 Transparent Milky/Frosted



End Cap ×2 1 with hole 1 without hole

CONNECTOR (Optional)



A1616-C1: Inside





A1616-C2: Outside




A1616-C3: Straight

PROJECT







B1616









FEATURES







FEATURES

Internal width: 10.2 mm

Material: Anodized aluminum extrusion

Length: 1~3 meter Dimension: 16×16 mm Application: Corner

Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1 1~3 Meter



Frosted Milky

PC Cover x1 Transparent 1 with hole

End Cap ×2

1 without hole

Mounting Clip x2

A1919



Internal width: 12.11 mm

Material: Anodized aluminum extrusion

Length: 1~3 meter Dimension: 19×19 mm Application: Corner

Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1 1~3 Meter



PC Cover x1 Transparent Frosted

Milky



End Cap ×2 1 with hole 1 without hole



Mounting Clip x2 Metal



43

Mounting Clip ×2






















Internal width: 12.1 mm

Material: Anodized aluminum extrusion

Length: 1~3 meter

Dimension: 18.5×18.5 mm

Application: Corner

Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1 1~3 Meter



Transparent Frosted/Milky



End Cap ×2 1 with hole 1 without hole



Mounting Clip x2

OPTIONAL ACCESSORIES



Mounting Clip x2 Metal

C1919/1919-B







FEATURES

Internal width: 12.1 mm

Material: Anodized aluminum extrusion


Length: 1~3 meter

Dimension: 18.5×18.5 mm

Application: Corner

Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1 1~3 Meter



Transparent Frosted Milky



End Cap ×2 1 with hole 1 without hole



Mounting Clip x2

OPTIONAL ACCESSORIES







Mounting Clip x2 Metal

A2016









A3010

FEATURES

Internal width: 12.43 mm

Dimension: 30×10.5 mm

Customized color can be ordered

Application: Recessed

Length: 1~3 meter

Material: Anodized aluminum extrusion







FEATURES


Internal width: 12 mm

Material: Anodized aluminum extrusion

Length: 1~3 meter Dimension: 20×16 mm Application: Corner

Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1 1~3 Meter




PC Cover x1 End Cap ×2 Transparent 1 with hole 1 without hole Frosted Milky



Mounting Clip x2

PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1 1~3 Meter



PC Cover x1 Transparent Frosted

Milky



End Cap ×2 1 with hole 1 without hole











A3109









A3030





B3030

C2208





FEATURES

Internal width: 12.1 mm

Material: Anodized aluminum extrusion

Length: 1~3 meter

Dimension: 30. 9×8.8 mm

Application: Corner

Customized color can be ordered

FEATURES

Internal width: 20.9 mm

Material: Anodized aluminum extrusion

Length: 1~3 meter Dimension: 30×30 mm Application: Corner

Customized color can be ordered

FEATURES

Internal width: 20.9 mm

Material: Anodized aluminum extrusion

Length: 1~3 meter Dimension: 30×30 mm Application: Corner

Customized color can be ordered

FEATURES


Internal width: 5 mm

Material: Anodized aluminum extrusion

Length: 1~3 meter Dimension: 22.7×8 mm Application: Corner

Customized color can be ordered

PRODUCT SIZE



PRODUCT SIZE





STANDARD ACCESSORIES



Profile x1 1~3 Meter



PC Cover x1 Transparent Frosted Milky



End Cap ×2 1 with hole 1 without hole



Mounting Clip x2 Plastic



STANDARD ACCESSORIES





Profile x1 1~3 Meter



Frosted Milky



End Cap ×2 1 with hole 1 without hole



Mounting Clip x2

PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1 1~3 Meter



PC Cover x1 Frosted Milky




End Cap ×2 1 with hole 1 without hole



ISO ISONOTIZETS

Mounting Clip x2 Plastic

PRODUCT SIZE



STANDARD ACCESSORIES







Silicone Cover x 1

CONNECTOR (Optional)

















FEATURES

Internal width: 8 mm

Material: Anodized aluminum extrusion


Length: 1~3 meter

Dimension: 33.8×18.65 mm

Application: Corner

Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES





Profile x1 1~3 Meter

WALL EDGE/GYPSUM SERIES

B4420







FEATURES

Internal width: 11.8 mm


Material: Anodized aluminum extrusion

Length: 1~3 meter Dimension: 44×20 mm Application: Surface

Customized color can be ordered



PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1 <u>1~3 Meter</u>



PC Cover x2 Transparent Frosted Milky



Mounting Clip Plastic



Connector Plastic Straight/X-shape

L-shape/T-shape

CONNECTOR (Optional)







A4535









FEATURES

Internal width: 15.2 mm

Material: Anodized aluminum extrusion

Length: 1~3 meter

Dimension: 45×34.5 mm

Application: Ceiling decoration Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1 1~3 Meter



PC Cover x1 Transparent

Milky/Frosted



End Cap ×2 1 with hole 1 without hole

PROJECT











A6014















ROHS

FEATURES

Internal width: 21

Material: Anodized aluminum extrusion


Length: 1~3 meter

Dimension: 60. 55×14.17 mm

Application: Gypsum / Plaster recessed lighting

Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1 1~3 Meter



PC Cover x1 Transparent Frosted Milky



End Cap ×2 1 with hole 1 without hole







FEATURES


Internal width: 8 mm

Material: Anodized aluminum extrusion

Length: 1~3 meter Dimension:33×15 mm Application: Surface

Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1 1~3 Meter



Transparent Frosted Milky



End Cap ×2 1 with hole 1 without hole



Mounting Clip x2 Metal

C5320









W001/W001-W

FEATURES







FEATURES


Internal width: 8.2 mm

Material: Anodized aluminum extrusion

Length: 1~3 meter Dimension: 53×20 mm Application: Recessed

Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1 1~3 Meter

Mounting Clip x2 Spring




Milky

PC Cover x1 End Cap ×2 Transparent Frosted



1 with hole 1 without hole KM2X5 mm

End Cap x4



Internal width: 12.1 mm

Application: Surface

Customized color can be ordered

Material: Anodized aluminum extrusion

PRODUCT SIZE



STANDARD ACCESSORIES







PC Cover x1 Transparent Frosted

Milky





End Cap ×2 Left+Right Both without hole



OPTIONAL ACCESSORIES



Mounting Clip x2 Metal











W003









W004









FEATURES

Internal width: 10.5 mm

Material: Anodized aluminum extrusion

Length: 1~3 meter

Dimension: 56.3×22.22 mm

Application: Gypsum / Plaster Inner corner lighting

Customized color can be ordered

W005











W006







FEATURES

Internal width: 12.4 mm

Material: Anodized aluminum extrusion

Length: 1~3 meter

Dimension: 70×29.2 mm Application: Recessed

Customized color can be ordered

FEATURES

Internal width: 10.5 mm

Material: Anodized aluminum extrusion

Length: 1~3 meter

Dimension: 39.4×27.1mm

Application: Gypsum / Plaster Inner corner lighting

Customized color can be ordered

FEATURES

Internal width: 20 mm

Material: Anodized aluminum extrusion

Length: 1~3 meter

Dimension: 115×43.8mm

Application: Stair

Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



1~3 Meter





PC Cover x1 Transparent Frosted Milky



End Cap ×2 1 with hole 1 without hole





KA2.6X8 mm

PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1 1~3 Meter



Transparent Frosted Milky



End Cap ×2



1 with hole 1 without hole

PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1 1~3 Meter




PC Cover x1 Transparent Frosted

Milky



End Cap ×2 1 with hole 1 without hole

PRODUCT SIZE



STANDARD ACCESSORIES







PC Cover x1 Transparent Frosted

Milky



End Cap ×2 1 with hole 1 without hole



Metal











W007









FEATURES

Internal width: 14.2 mm

Material: Anodized aluminum extrusion


Length: 1~3 meter

Dimension: 54×14.6 mm

Application: Gypsum / Plaster recessed lighting

Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1 1~3 Meter



PC Cover x1 Transparent Frosted



End Cap ×2 1 with hole 1 without hole

OPTIONAL ACCESSORIES



Mounting Clip x2 Metal

W008







FEATURES

Internal width: 36.9 mm

Material: Anodized aluminum extrusion

Length: 1~3 meter

Dimension: 88×18.6 mm

Application: Gypsum / Plaster recessed lighting

Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES







PC Cover x1 Transparent Milky



Screw For End Cap x4 KM2X5 mm



Mounting Clip x2 Spring

CONNECTOR (Optional)







End Cap ×2

1 with hole 1 without hole

W009

FEATURES

Length: 1~3 meter

Application: Surface

Material: Anodized aluminum extrusion

Customized color can be ordered







W011







FEATURES

Internal width: 14.24 mm

Material: Anodized aluminum extrusion


Length: 1~3 meter

Dimension: 54×15.01mm

Application: Cabinet, supermarket, home furnishings

Customized color can be ordered

PRODUCT SIZE




STANDARD ACCESSORIES



Profile x1 1~3 Meter

PRODUCT SIZE



STANDARD ACCESSORIES







PC Cover x1 Transparent Frosted



End Cap ×2 1 with hole 1 without hole


CONNECTOR (Optional)







T shape









W012









FEATURES

Internal width: 21mm

Material: Anodized aluminum extrusion


Length: 1~3 meter

Dimension: 71.6×14mm

Application: Cabinet, supermarket, home furnishings

Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1 1~3 Meter



Transparent Frosted



End Cap ×2 1 without hole

CONNECTOR (Optional)









W4010







FEATURES

Internal width: 10.29mm

Material: Anodized aluminum extrusion


Length: 1~3 meter

Dimension: 41.07×9.76mm

Application: Cabinet, supermarket, home furnishings

Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES











Milky

End Cap ×2 1 with hole 1 without hole



STEP/FLOOR SERIES





B1908









FEATURES

Internal width: 11.2mm

Material: Anodized aluminum extrusion

Length: 1~3 meter

Dimension: 19.2×8.5 mm

Application: Floor

Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1 1~3 Meter



PC Cover x1 Thickness: 2.2mm Frosted Milky

Transparent



1 without hole

C2626









FEATURES

Internal width: 17 mm

Material: Anodized aluminum extrusion

Length: 1~3 meter Dimension: 26×26 mm Application: Floor

Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



1~3 Meter



PC Cover x1

Thickness: 5.6mm 1 with hole Frosted Milky

Transparent



End Cap ×2 1 without hole

S001/S001-B







FEATURES

Internal width: 12.2 mm

Material: Anodized aluminum extrusion


Length: 1~3 meter Dimension: 59.2×21.7 mm

Application: Stair

Customized color can be ordered



PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1 1~3 Meter



Transparent Frosted

Milky



End Cap ×2 1 with hole 1 without hole



Screw For End Cap x2 KA2.6X8 mm

S002







ROHS

FEATURES

Internal width: up 8mm and down 10mm Material: Anodized aluminum extrusion

Length: 1~3 meter

Dimension: 80.98×41.60 mm


Application: Stair

Customized color can be ordered





PRODUCT SIZE



STANDARD ACCESSORIES







PC Cover x1 Transparent Frosted

Milky



End Cap ×2 1 with hole 1 without hole



Screw For End Cap x2 KA3X8 mm



Anti-slip Rubber x2 1~3 Meter

S003







FEATURES

Internal width: 14.2 mm

Material: Anodized aluminum extrusion

Length: 1~3 meter


Dimension: 65 . 99×27.36 mm

Application: Stair

Customized color can be ordered



PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1 1~3 Meter



PC Cover x1 Transparent Frosted Milky



End Cap ×2 1 with hole 1 without hole



Screw For End Cap x4 KA2.3X10 mm

OPTIONAL ACCESSORIES

Row Number





SHOP FITTING/SHELVES LIGHTING SERIES



A2820







FEATURES


Internal width: 13.4mm

Material: Anodized aluminum extrusion

Length: 1~3 meter Dimension: 20.4×28mm Application: Cabinet

Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1 1~3 Meter



Milky

Transparent

PC Cover x1 End Cap ×2 Thickness: 2.2mm Frosted

1 with hole 1 without hole



A2508







FEATURES


Internal width: 5.6 mm

Material: Anodized aluminum extrusion

Length: 1~3 meter Dimension: 25×8 mm Application: Recessed

Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES







Milky



End Cap×2



WATERPROOF/PLASTIC SERIES











Internal width: 12.5mm

Material: PC

Length: 1~3 meter

Dimension: 17×14.9 mm

Customized color can be ordered



IP002







FEATURES

Internal width: 8.91 mm

Material: PC

Length: 1~3 meter

Dimension: 11.4×114.4mm

IP Rate: IP65 with silicone resin encapsulated

Customized color can be ordered



IP003

FEATURES

Material: PMMA

Length: 1~3 meter

Internal width: 10.2mm

Dimension: 14×18.5mm

Customized color can be ordered

IP Rate: IP65 with silicone resin encapsulated







IP004







FEATURES

IP Rate: IP65 with silicone resin encapsulated

PRODUCT SIZE



STANDARD ACCESSORIES

OPTIONAL ACCESSORIES



Profile x1 1~3 Meter




1 with hole 1 without hole



Mounting Clip x2

PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1 1~3 Meter





End Cap ×2 1 with hole 1 without hole



Mounting Clip x2

PRODUCT SIZE




STANDARD ACCESSORIES





PMMA Profile x1 Mounting Clip x2 1~3 Meter




Length: 1~3 meter Dimension: 25×19.3 mm

IP Rate: IP65 with silicone resin encapsulated

Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



PMMA Profile x1 1~3 Meter







OPTIONAL ACCESSORIES



Aluminum Slat For LED Strip

67

For LED Strip



IP004+A2519








FEATURES

Internal width: 17 mm Material: PMMA Length: 1~3 meter

Dimension: 25×19.3mm IP rate: IP65 with silicone resin encapsulated

Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES







Aluminum Profile A2519 x1



End Cap×2 1 with hole 1 without hole


OPTIONAL ACCESSORIES



Aluminum Slat For LED Strip



ROUND SHAPE SERIES



A1818







FEATURES

Internal width: 11.2mm


Material: Anodized aluminum extrusion

Length: 1~3 meter

Dimension: 18.42×16.6mm Application: Surface

Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



Profile ×1 1~3 Meter



PC Cover ×1 Transparent Frosted Milky



End Cap×2 1 with hole 1 without hole



Mounting Clip ×2 Metal



R60





FEATURES

Internal width: 30 mm

Material: Anodized aluminum extrusion

Length: 1~3 meter

Dimension: 59.8x59.8 mm Application: Pendant Beam angle: 180°

Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES







PC Cover x1 Milky



End Cap ×2 Screw For End Cap x4 KA3x8 mm

OPTIONAL ACCESSORIES



1.5m steel rope x1 set

R001











FEATURES

Internal width: 12.2mm

Material: Anodized aluminum extrusion

Length: 1~3 meter

Dimension: 23.9×23.9 mm

Application: Wardrobe/Cabinet/Ceiling Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1 1~3 Meter



PC Cover x1 Transparent Milky/Frosted



End Cap ×2 1 with hole 1 without hole

OPTIONAL ACCESSORIES



End cap closet

1.5m steel rope ×1 set

A4




Angle adjustable wall clip A2

Wall mounting fixtures



Hanging fixture



PROJECT









R002







FEATURES

Internal width: 24.18 mm

Material: Anodized aluminum extrusion

Length: 1~3 meter Dimension: 35×35 mm Application: Pendant / Surface Customized color can be ordered



PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1 1~3 Meter



PC Cover x1 Transparent Milky Frosted



End Cap ×2 1 with hole 1 without hole

OPTIONAL ACCESSORIES





1.5m steel rope × 1set

PROJECT













FEATURES

Internal width: 11.8 mm

Material: Anodized aluminum extrusion

Length: 1~3 meter

Dimension: 29.77×14.5 mm Application: Wardrobe

Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES







PC Cover ×1 Transparent Frosted

Milky

OPTIONAL ACCESSORIES





Metal End Cap

Hanging Bracket

PENDANT/SUSPENSION SERIES

A1732









FEATURES

Internal width: 12 mm


Material: Anodized aluminum extrusion

Length: 1~3 meter

Dimension: 17.44×31.45mm Application: Pendant / Surface

Light up and down

Customized color can be ordered



PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1

1~3 Meter




PC Cover x2 Transparent Milky/ Frosted



End Cap×2 2 without hole

PROJECT



OPTIONAL ACCESSORIES



Mounting Clip×2

Metal

1.5m steel rope ×1 set



180°connector



HM4x4 screw

F3545









FEATURES

Internal width: 31 mm

Material: Anodized aluminum extrusion

Length: 1~3 meter Dimension: 35×45.05 mm Application: Pendant

Customized color can be ordered



PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1 1~3 Meter



PC Cover x2 Transparent Milky/Frosted

Mounting Clip



End Cap×2 Metal





OPTIONAL ACCESSORIES



Screw For End Cap ×8

KA2x6 mm

1.5m steel rope×1 set

A3565







ISON ROHS

FEATURES

Internal width: 30.2 mm

Material: Anodized aluminum extrusion

Dimension: 35×65 mm Application: Pendant Light up and down

220V AC driver can be put inside the aluminum profile

Customized color can be ordered



PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1 1~3 Meter

0 00 00 00

Screw For End Cap ×4

HM4x4 mm



PC Cover x1 Transparent Milky/ Frosted



End Cap ×2 Metal



PROJECT



C3535












FEATURES

Internal width: 24.18 mm

Material: Anodized aluminum extrusion

Length: 1~3 meter Dimension: 35×35 mm Application: Pendant / Surface Customized color can be ordered



PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1 1~3 Meter



PC Cover x1 Transparent Milky/ Frosted

Mounting Clip



End Cap ×2 Metal 1 with hole

1 without hole



CONNECTOR (Optional)



X shape

Tshape



- 1) C1: 180° connector
- 2) C2: 90° surface connector
- 3) C3: 90° vertical connector
- 4) HM4x4mm screw

OPTIONAL ACCESSORIES



Screw For End Cap ×4

KM2x5 mm

1.5m steel rope ×1set

PROJECT



A5570/A5570-B/A5570-W





FEATURES

Internal width: 37 mm

Material: Anodized aluminum extrusion

Length: 1~3 meter Dimension: 55×70 mm Application: Pendant / Surface

220V AC driver can be put inside the aluminum profile

Customized color can be ordered



PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1 1~3 Meter



PC Cover x1 Transparent Milky/ Frosted/Black

End Cap × 2

Metal



Screw For End Cap ×8 KM2x5 mm

Mounting Clip×2 Metal

OPTIONAL ACCESSORIES



1.5m steel rope ×1set



New end cap ×2pcs

CONNECTOR (Optional)







X shape



T shape



- 1) C1: 180° connector
- 2) C2: 90° surface connector
- 3) C3: 90° vertical connector
- 4) HM4x4mm screw

PROJECT



A9080











FEATURES

Internal width: 86 mm

Material: Anodized aluminum extrusion

Length: 1~3 meter Dimension: 90×80 mm Application: Pendant / Surface

220V AC driver can be put inside the aluminum profile

Customized color can be ordered



PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1 1~3 Meter



B9080: Steel bar inter-connector

PC Cover ×1

Transparent



End Cap ×2 Metal

PROJECT



Milky/ Frosted

Screw For End Cap×8

KA2x6 mm



1.5m steel rope ×1 set



C9080:Steel bar

PE001A









FEATURES

Internal width: 138 mm

Material: Anodized aluminum extrusion

Length: 1~3 meter

Dimension: 153.77×37.2 mm

Application: Pendant/Surface

Customized color can be ordered



PRODUCT SIZE



STANDARD ACCESSORIES



Profile ×1 1~3 Meter



PC Cover ×1
Transparent
Milky/ Frosted



End Cap ×2

PROJECT



Screw For End Cap ×4 KA3x8 mm

OPTIONAL ACCESSORIES



1 5m steel rone x1 set



Hanging plate PE001B




Driver box PE001C

With LED driver built inside
With KA3.5X10 mm screw



BENDABLE RECESSED ALUMINIUM PROFILE





W3213

Internal Width: 10.1 mm

Material: Anodized Aluminum Extrusion

Length: 1~3 meter


Dimension: 32.5×13 mm

Application: Gypsum/Plaster Recessed Lighting

Customized color can be ordered

Minimum bending radius of aluminum profile center: R240mm

Accessories: Profile x 1+ Silicone Cover x 1 + End Capx 2



W5213









Internal Width: 10.1 mm

Material: Anodized Aluminum Extrusion

Length: 1~3 meter


Dimension: 52.4×13 mm

Application: Gypsum/Plaster Recessed Lighting

Customized color can be ordered Side bending radius: 600mm(Min)

Front bending radius: 600mm(Min)

Accessories: Profile x 1+ Silicone Cover x 1 + End Capx 2



Internal Width: 12.9mm

Material: Anodized Aluminum Extrusion

Length: 1~3 meter

Dimension: 55.3×14.8mm

Application: Gypsum/Plaster Recessed Lighting

Customized color can be ordered Side bending radius: 600mm(Min) Front bending radius: 600mm(Min)

Accessories: Profile x 1+ Silicone Cover x 1 + End Capx 2

