# LED ALUMINUM PROFILE

A9080, B9080, C9080

B9080 profile for interconnection 10cm long only for connection. Connect 2 lamps to become 1 big lamp.

90

80

20.9

Match strips	Length	Dimension	PC Cover
5 lines of LED Strip	1 to 2 meters	90x80mm	Frosted

The profile can be made 3 color :

white

Anodized aluminum

black

Accessories:

A9080AL
Aluminum channel

A9080PC
Frosted cover

A9080EC
End caps

Screws

B9080
Inerconnect

C9080
Inerconnect bar

Suspension kits

BASIC COMPONENTRY

C9080-interconnect bar

B9080-interconnect

Aluminum channel

B9080-interconnect

5 rows LED strips

frosted cover

80mm

90mm

COMPONENTRY FOR SUSPENDED INSTALLATION

Ceiling attachment

Griplock cylinder

Stainless steel cable

Aluminum Profile A9080 can be surface mounted on the ceiling or the wall by C9080, or can be suspended by steel ropes. 220VAC LED driver can be put inside of the profile, not outside.


INSTALLATION Option A

INSTALLATION Option B

INSTALLATION Option C

A9080 is suspended from ceiling with stainless steel cable and fixing componentry

220v

24vDC

A9080 is flush mounted to ceiling.
Wiring is concealed.

220v

24vDC

Profile for interconnection
10cm long only for connection
Connect 2 lamps to become 1 big lamp