



BROCHURE



LED ALUMINUM PROFILE ANNUAL CATALOGUE

2026

ONE-STOP SERVICE

Surface Mounting Series / Pendant Series / Recessed Series
Corner Series / Floor Series / Stair Series

CONTACT US

+86-755-27926119 / 27926326 sales@surmountor.com
www.surmountor.com / www.sur-led.com / www.ledstrip.cc
ADD:4/F, No.2 Factory Building, Dayang, No.4 Tangwei Industrial Avenue, FuHai Street, Bao'an, Shenzhen, China





TABLE OF CONTENTS

About Surmountor

Company Overview	01-02
Linear Lighting System	03-04

LED Aluminum Profile

LED Aluminum Profile Introduction	05
Certificate	06
Various Installation Ways	07
Application	08
Dimensions of LED Profile	09-14
Sample Kit Series	15-16
Surface Mounting Series	17-32
Recessed Mounting Series	33-42
Angle/Corner Series	43-50
Wall Edge/Gypsum Series	51-60
Step/Floor Series	61-64
Shop Fitting/Shelves Lighting Series	65-66
Waterproof/Plastic Series	67-68
Round Shape Series	69-72
Pendant/Suspension Series	73-78
Bendable Recessed Aluminium Profile	79-80

ABOUT OUR COMPANY



We have an excellent team!

Our energetic and creative sales team understand customers' demands deeply and solve problems promptly. Every customer will be concerned and respected seriously, patiently, responsibly from enquiry-design-sampling-order-production-export-after sales service. Based on all our efforts, we attained great achievements and progress in the past 10 years, and also help our customers to expand their markets by constantly developing new products.

Our strength and pursuit!

Our main strength is equipped with professional engineers, can provide customers with customized lighting solutions and win the market with clients together. Our goal is to build long term win-win relationship with our customers.



We are professional manufacturer!

Surmountor Lighting Co.,LTD was founded in 2011, and has been diligently devoted in the LED lighting industry. With over 10 years experience, We are specialized in LED Neon Flex, Linear Lighting, LED Flexible Strip, LED Sensor Switches and LED Aluminum Profile, . And our products are widely used in outdoor or indoor lighting, hotel lighting, office lighting, shop lighting, kitchen lighting, etc.

Our factory is over 8000m², with more than 100 employees. What's more, with the aim to be continuously competitive, our company is equipped with 10 professional R&D staffs. Our factory production monthly capacity reach more than 120,000 meters of flexible LED strips, 150,000 meters LED profiles, 100,000 pieces sensor switches, 36000 meters of neon light and so on.

One-stop production and Continuous innovation!

With wide range led products line, we concentrate on offering one stop and one package service. To fulfil our worldwide partners different needs, our R&D departments always commit to continuously creating and innovating new products. In 2017, we developed LED Neon Lights. All of our neon flex products are of matte-finished texture, which helps feeling elegant and of higher quality level.




We have ISO quality control System!

Our LED products are quality oriented and have passed a series of certifications, including CE, RoHS, UL, ISO9001:2015 management system, etc. We are committed to continuously providing our customers with high performance and reliable quality products. By offering competitive price, stable quality, timely delivery and good service, we gained good reputation among our customers all over the world, such as Europe, North America, Latin America, Australia, Middle East and Southeast Asia



LINEAR LIGHTING SYSTEM

The linear lighting system is designed to explore completely the potentials of installing and connecting providing to designers, architects and engineering parties the flexible solutions in space and lighting design with the various led aluminum profiles, led strip, sensor switch, power supplies, connectors and accessories.



© COMMERCIAL LIGHTING



© OFFICE LIGHTING



© SALOON LIGHTING



© KITCHEN LIGHTING

LED ALUMINUM PROFILE




Silver

White

Black

PC/PMMA COVER



PC Cover

PMMA Cover

LED STRIP




COB LED Strip

Flexible Strip

Rigid Strip


LED SENSOR SWITCH



Internal

External


POWER SUPPLY



Non-waterproof

Waterproof

CONNECTORS



Accessories

X Shape


L1 Shape

L2 Shape

L3 Shape

T Shape

INSTALLATION ACCESSORIES



Plastic Mounting Clip


Metal Mounting Clip

Adjustable Bracket

Spring Clip (Recessed)

Steel Rope

Wall Mounting Fixtures



CERTIFICATE

We provide products of quality assurance, with ISO9001-2015 certificate. Meanwhile, high quality is what we insist on. Our aluminum profile is certified by RoHS.



LED ALUMINUM PROFILE INTRODUCTION

Aluminum Parameters	
Material	Aluminum alloy 6063-T5
Anodized Thickness	10µm
Mounting	For Surface, Recessed, Suspended Mounting, Stair, Dry wall, Floor, Glass Shelf, Bendable, Waterproof etc.
Color	Aluminum silver for standard
*Customized color can be ordered	




ISO9001-2015



RoHS


Cover Parameters

Material	PC/PMMA
UL Flammability Of PC cover	UL94V-2
Mounting	Clip the cover to the aluminum profile from the top
Standard Type	Transparent, Frosted, Milky
Special Types	60° cover (PMMA)




VARIOUS INSTALLATION METHODS


- Optional installation accessories
- More convenient installation
- More extensive application



Surface Mounting




Pendant




Recessed



Corner





Floor




Stair

Application




DIMENSIONS OF LED PROFILE


SURFACE MOUNTING SERIES




C1806




A1008




A1110




A1506




C1506




C5032




C7532




A1612




A1707



A1713




A1715




A1920


RECESSED MOUNTING SERIES




A2114




A2310




A2623




D001




D002




A0709




A0809




A1209




A2212




A2206




D003A




D003B




D003C




D003D




D006




B2407




A2507




A2515




A2520




A2810




F001




F002




F003




A3535




A3619




A3628



A4435




C6532




C1809

DIMENSIONS OF LED PROFILE




C1710




C9032


ANGLE/CORNER SERIES




A1616




B1616




A1919




B1919




C1919




A2016




A3010




A3109




A3030



B3030




C2208




C3413


WALL EDGE/GYPSUM SERIES




B4420




A4535




A6014




C3315




C5320




W001




W003




W004




W005




W006




W007




W008




W009



W011




W012




W4010

DIMENSIONS OF LED PROFILE


STEP/FLOOR SERIES




B1908




C2626



S001




S002




S003


PENDANT/SUSPENSION SERIES




A1732




F3545



C3535




A5570




A9080


SHOP FITTING/SHELVES LIGHTING SERIES



A2820




A2508




PE001


WATERPROOF/PLASTIC SERIES




IP001



IP002




IP003




IP004+A2519


BENDABLE RECESSED ALUMINIUM PROFILE



W3213




W5213




W5513


ROUND SHAPE SERIES




A1818




R001



R002



R003



R60

SAMPLE KIT



FEATURES

- Led Profile sample kit
- About 70 different models
- Please contact us for drawing details



SURFACE MOUNTING SERIES

C1806




FEATURES

- Internal width: 12.21 mm
- Material: Anodized aluminum extrusion
- Length: 1~3 meter
- Dimension: 18x5.5 mm
- Application: Surface
- Customized color can be ordered



PRODUCT SIZE



MAXIMUM BEND RADIUS

6"/152.4 mm



STANDARD ACCESSORIES



Profile x1
1~3 Meter



PC Cover x1
Transparent
Frosted
Milky



End Cap x 2
1 with hole
1 without hole




Mounting Clip x 2
Metal

INSTALLATION

1: With Double-sided Tape



2: With Clip



APPLICATIONS

Interior lighting, curved lighting for display counter




A1008



FEATURES

- Internal width: 6 mm
- Material: Anodized aluminum extrusion
- Length: 1~3 meter
- Dimension: 9.92x8.35mm
- Application: Surface
- Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1
1~3 Meter



PC Cover x1
Transparent
Frosted
Milky



End Cap x 2
1 with hole
1 without hole



Mounting Clip x 2
Plastic




A1110/A1110-B



FEATURES

- Internal width: 8 mm
- Material: Anodized aluminum extrusion
- Length: 1~3 meter
- Dimension: 10.8x10mm
- Application: Surface
- Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1
1~3 Meter



PC Cover x1
Transparent
Frosted
Milky



End Cap x 2
1 with hole
1 without hole



Mounting Clip x 2
Plastic

OPTIONAL ACCESSORIES



Magnet




A1506/A1506-W/A1506-B




FEATURES

Internal width: 11.16 mm
 Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Dimension: 15.21×7.04/15.21×6.04mm
 Application: Surface
 Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



OPTIONAL ACCESSORIES




C1506/C1506-B




FEATURES

Internal width: 11.16 mm
 Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Dimension: 15.21 × 7.04/15.21×6.04 mm
 Application: Surface
 Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



OPTIONAL ACCESSORIES




A1612



FEATURES

Internal width: 11.2 mm
 Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Dimension: 16×13 mm
 Application: Surface
 Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



OPTIONAL ACCESSORIES




A1707/A1707-B/A1707-W




FEATURES

Internal width: 12.4 mm
 Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Dimension: 17.4×8.2 mm
 Application: Surface
 Customized color can be ordered


PRODUCT SIZE



STANDARD ACCESSORIES



OPTIONAL ACCESSORIES






A1713



FEATURES

Internal width: 13 mm
 Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Dimension: 17×13 mm
 Application: Surface
 Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



OPTIONAL ACCESSORIES




A1715/A1715-B




FEATURES

Internal width: 12.4 mm
 Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Dimension: 17.4×15.7 mm
 Application: Surface
 Customized color can be ordered


PRODUCT SIZE



STANDARD ACCESSORIES



OPTIONAL ACCESSORIES




A1920




FEATURES

Internal width: 13 mm
 Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Dimension: 18.5×19.9 mm
 Application: Surface
 Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES




A2114




FEATURES

Internal width: 16.8 mm
 Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Dimension: 21×21 mm
 Application: Surface
 Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES






A2310/A2310-B




FEATURES

Internal width: 20.05 mm
 Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Dimension: 23.5×10.72mm
 Application: Surface
 Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES




A2623



FEATURES

Internal width: 20.04 mm
 Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Dimension: 26.2×22.76mm
 Application: Surface
 Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



OPTIONAL ACCESSORIES



1.5m steel rope × 1 set




D001




FEATURES

Internal width: 16.5mm
 Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Dimension: 19.5×21.8mm
 Application: Surface
 Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



OPTIONAL ACCESSORIES



Mounting Clip x2
Metal




D002




FEATURES

Internal width: 16.5 mm
 Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Dimension: 19.5×22 mm
 Application: Surface
 Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



OPTIONAL ACCESSORIES



Mounting Clip x2
Plastic




D003A



FEATURES

Internal width: 16.5 mm
 Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Dimension: 19.5×14.11 mm
 Application: Surface / Pendant
 Customized color can be ordered



PRODUCT SIZE




STANDARD ACCESSORIES



OPTIONAL ACCESSORIES




D003B



FEATURES

Internal width: 16.5mm
 Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Dimension: 19.5×19.9mm
 Application: Surface / Pendant
 Customized color can be ordered


PRODUCT SIZE



STANDARD ACCESSORIES



OPTIONAL ACCESSORIES




D003C



FEATURES

Internal width: 16.5 mm
 Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Dimension: 19.5×20.1mm
 Application: Surface / Pendant
 Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



OPTIONAL ACCESSORIES




D003D




FEATURES

Internal width: 16.5mm
 Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Dimension: 19.5×30.5mm
 Application: Surface / Pendant
 Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



OPTIONAL ACCESSORIES






D006



FEATURES

Internal width: 16.5mm
 Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Dimension: 19.5×27mm
 Application: Surface
 Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1
1~3 Meter



PC Cover x1
Transparent
Frosted
Milky



End Cap x2
1 with hole
1 without hole



Mounting Clip x2
Plastic

OPTIONAL ACCESSORIES



Mounting Clip x2
Metal




F001



FEATURES

Internal width: 12.4mm
 Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Dimension: 52.1×8.3mm
 Application: Surface
 Customized color can be ordered


PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1
1~3 Meter



PC Cover x1
Transparent
Frosted
Milky



End Cap x2
1 with hole
1 without hole

OPTIONAL ACCESSORIES



Bracket End Cap x2




F002



FEATURES

Internal width: 12.43 mm
 Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Dimension: 29.52×6.96mm
 Application: Surface
 Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1
1~3 Meter



PC Cover x1
Transparent
Frosted
Milky



End Cap x2
1 with hole
1 without hole



Mounting Clip x2
Metal




F003



FEATURES

Internal width: 10 mm
 Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Dimension: 19.71×7.61mm
 Application: Surface
 Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1
1~3 Meter



PC Cover x1
Transparent
Frosted
Milky



End Cap x2
1 with hole
1 without hole



Mounting Clip x2
Metal


A3535



FEATURES

- Internal width: 31 mm
- Material: Anodized aluminum extrusion
- Length: 1~3 meter
- Dimension: 35×35 mm
- Application: Surface
- Customized color can be ordered


PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1
1~3 Meter





PC Cover x1
Transparent
Frosted
Milky



End Cap x2
1 with hole
1 without hole


C5032



FEATURES

- Internal width: 39.18 mm
- Material: Anodized aluminum extrusion
- Length: 1~3 meter
- Dimension: 50×32 mm
- Application: Surface / Pendant
- Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1
1~3 Meter




PC Cover x1
Milky/ Frosted
Transparent



End Cap x2
1 with hole
1 without hole



Screw For End Cap x4
KM2× 5 mm



Mounting Clip x2
Metal

OPTIONAL ACCESSORIES



1.5m steel rope x1 set

CONNECTORS (Optional)



1) C1: 180° connector
2) C2: 90° surface connector
3) C3: 90° vertical connector
4) HM4x4mm screw



L shape



X shape



T shape

C7532



FEATURES

- Internal width: 64.18 mm
- Material: Anodized aluminum extrusion
- Length: 1~3 meter
- Dimension: 75×32 mm
- Application: Surface/Pendant
- Customized color can be ordered



PRODUCT SIZE



STANDARD ACCESSORIES




Profile x1
1~3 Meter



PC Cover x1
Milky/ Frosted
Transparent



End Cap x2
1 with hole
1 without hole



Mounting Clip x2
Metal

OPTIONAL ACCESSORIES



1.5m steel rope x1 set

CONNECTOR (Optional)



1) C1: 180° connector
2) C2: 90° surface connector
3) C3: 90° vertical connector
4) HM4x4mm screw



L shape



X shape



T shape



RECESSED MOUNTING SERIES




A0709



FEATURES

- Internal width: 5.5mm
- Material: Anodized aluminum extrusion
- Length: 1~3 meter
- Dimension: 7.3 ×9.3 mm
- Application: Cabinet,supermarket,home furnishings
- Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1
1~3 Meter



Silicone Cover x 1




A0809




FEATURES

- Internal width: 5.6 mm
- Material: Anodized aluminum extrusion
- Length: 1~3 meter
- Dimension: 8 ×9 mm
- Application: Cabinet,supermarket,home furnishings
- Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1
1~3 Meter



PC Cover x1
Transparent
Frosted
Milky



End Cap ×2
1 with hole
1 without hole




A1209



FEATURES

- Internal width: 5.6 mm
- Material: Anodized aluminum extrusion
- Length: 1~3 meter
- Dimension: 12.8×9mm
- Application: Cabinet,supermarket,home furnishings
- Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1
1~3 Meter



PC Cover x1
Transparent
Frosted
Milky



End Cap ×2
1 with hole
1 without hole




A2212



FEATURES

- Internal width: 11.2 mm
- Material: Anodized aluminum extrusion
- Length: 1~3 meter
- Dimension: 22.01×12.98mm
- Application: Recessed
- Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1
1~3 Meter



PC Cover x1
Transparent
Frosted
Milky



End Cap ×2
1 with hole
1 without hole




A2206



FEATURES

Internal width: 11mm
 Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Dimension: 22.03×7.02mm
 Application: Recessed
 Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1 1~3 Meter	PC Cover x1 Transparent Frosted Milky	End Cap x2 1 with hole 1 without hole
-------------------------	------------------------------------------------	---------------------------------------------




B2407



FEATURES

Internal width: 11 mm
 Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Dimension: 24×6.94mm
 Application: Recessed
 Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1 1~3 Meter	PC Cover x1 Transparent Frosted Milky	End Cap x2 1 with hole 1 without hole
-------------------------	------------------------------------------------	---------------------------------------------

OPTIONAL ACCESSORIES



Mounting Clip x2
Metal




A2507/A2507-B




FEATURES

Internal width: 12.39mm
 Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Dimension: 23.7×8.2mm
 Application: Recessed
 Profile Colors Available: Silver, Black, White
 Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1 1~3 Meter	PC Cover x1 Transparent Frosted Milky	End Cap x2 1 with hole 1 without hole
-------------------------	------------------------------------------------	---------------------------------------------

OPTIONAL ACCESSORIES



End Cap x2 Left+right both with hold	Mounting Clip x2 Plastic	B2507
--------------------------------------------	-----------------------------	-------




A2515



FEATURES

Internal width: 12.4 mm
 Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Dimension: 23.7×15.7mm
 Application: Recessed
 Profile Colors Available: Silver, Black, White
 Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1 1~3 Meter	PC Cover x1 Transparent Frosted Milky	End Cap x2 1 with hole 1 without hole
-------------------------	------------------------------------------------	---------------------------------------------

OPTIONAL ACCESSORIES



Mounting Clip x2 Metal	Mounting Clip x2 Plastic
---------------------------	-----------------------------




A2520



FEATURES

Internal width: 12.44 mm
 Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Dimension: 23.66×18.36mm
 Application: Recessed
 Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES




A2810




FEATURES

Internal width: 20.05mm
 Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Dimension: 28.05×10.72mm
 Application: Recessed
 Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



OPTIONAL ACCESSORIES



Mounting Clip ×2
 Plastic




A3619



FEATURES

Internal width: 14 mm
 Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Dimension: 46×18.3mm
 Application: Recessed
 Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES




A3628




FEATURES

Internal width: 19 mm
 Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Dimension: 36×28mm
 Application: Recessed
 Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES




A4435



FEATURES

Internal width: 30 mm
 Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Dimension: 44×35 mm
 Application: Recessed / Pendant
 Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1
1~3 Meter



PC Cover x1
Transparent
Milky/ Frosted



End Cap x2
1 with hole
1 without hole



Screw For End Cap x4
KA2. 3x6 mm



Mounting Clip x2
Spring

OPTIONAL ACCESSORIES



Steel rope x1 set
Metal



End cap x2pcs



CONNECTOR (Optional)



L shape



X shape



T shape



1) C1: 180° connector
 2) C2: 90° surface connector
 3) C3: 90° vertical connector
 4) HM4x4mm screw

PROJECT




C6532



FEATURES

Internal Width: 39.18 mm
 Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Dimension: 65×32 mm
 Application: Recessed / Pendant
 Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1
1~3 Meter



PC Cover x1
Transparent
Milky/ Frosted



End Cap x2
1 with hole
1 without hole



Screw For End Cap x4
KM2x5 mm



Mounting Clip x4
Spring



CONNECTOR (Optional)



L shape



X shape



T shape



1) C1: 180° connector
 2) C2: 90° surface connector
 3) C3: 90° vertical connector
 4) HM4x4mm screw

PROJECT






C1809



FEATURES

Internal width: 5mm
 Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Dimension: 17.4×8.5mm
 Application: Recessed
 Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1
1~3 Meter



Silicone Cover x 1




C1710



FEATURES

Internal width: 8 mm
 Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Dimension: 17.2×9.8 mm
 Application: Recessed
 Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1
1~3 Meter



PC Cover x1



End Cap x2
1 with hole
1 without hole




C9032



FEATURES

Internal width: 64.18 mm
 Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Dimension: 90×32 mm
 Application: Recessed
 Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1
1~2 Meter



PC Cover x1
Transparent
Frosted
Milky



End Cap x2
1 with hole
1 without hole



Mounting Clip x4
Spring

ANGLE/CORNER SERIES

A1616




FEATURES

- Internal width: 10.2 mm
- Material: Anodized aluminum extrusion
- Length: 1~3 meter
- Dimension: 16×16 mm
- Application: Corner
- Customized color can be ordered



PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1
1~3 Meter

PC Cover x1
Transparent
Milky/Frosted

End Cap x2
1 with hole
1 without hole



Mounting Clip x2
Plastic

OPTIONAL ACCESSORIES



Mounting Clip x2
Metal

CONNECTOR (Optional)



A1616-C1: Inside Corner

A1616-C2: Outside Corner

A1616-C3: Straight

PROJECT




B1616



FEATURES

- Internal width: 10.2 mm
- Material: Anodized aluminum extrusion
- Length: 1~3 meter
- Dimension: 16×16 mm
- Application: Corner
- Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1
1~3 Meter

PC Cover x1
Transparent
Frosted
Milky

End Cap x2
1 with hole
1 without hole

Mounting Clip x2
Plastic


A1919



FEATURES

- Internal width: 12.11 mm
- Material: Anodized aluminum extrusion
- Length: 1~3 meter
- Dimension: 19×19 mm
- Application: Corner
- Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1
1~3 Meter

PC Cover x1
Transparent
Frosted
Milky

End Cap x2
1 with hole
1 without hole

Mounting Clip x2
Metal




B1919



FEATURES

Internal width: 12.1 mm
 Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Dimension: 18.5×18.5 mm
 Application: Corner
 Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



OPTIONAL ACCESSORIES



Mounting Clip x2
Metal




C1919/1919-B




FEATURES

Internal width: 12.1 mm
 Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Dimension: 18.5×18.5 mm
 Application: Corner
 Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



OPTIONAL ACCESSORIES



End Cap x2
Left+right
Mounting Clip x2
Metal




A2016




FEATURES

Internal width: 12 mm
 Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Dimension: 20×16 mm
 Application: Corner
 Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES




A3010



FEATURES

Internal width: 12.43 mm
 Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Dimension: 30×10.5 mm
 Application: Recessed
 Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES






A3109




FEATURES

Internal width: 12.1 mm
 Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Dimension: 30.9×8.8 mm
 Application: Corner
 Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES




A3030



FEATURES

Internal width: 20.9 mm
 Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Dimension: 30×30 mm
 Application: Corner
 Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



CONNECTOR (Optional)




B3030




FEATURES

Internal width: 20.9 mm
 Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Dimension: 30×30 mm
 Application: Corner
 Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES




C2208



FEATURES

Internal width: 5 mm
 Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Dimension: 22.7×8 mm
 Application: Corner
 Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES






C3413




FEATURES

- Internal width: 8 mm
- Material: Anodized aluminum extrusion
- Length: 1~3 meter
- Dimension: 33.8×18.65 mm
- Application: Corner
- Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1
1~3 Meter



PC Cover x1



B4420




FEATURES

- Internal width: 11.8 mm
- Material: Anodized aluminum extrusion
- Length: 1~3 meter
- Dimension: 44×20 mm
- Application: Surface
- Customized color can be ordered



PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1
1~3 Meter



PC Cover x2
Transparent
Frosted
Milky




Mounting Clip
Plastic




Connector
Plastic
Inside/Outside
Straight/X-shape
L-shape/T-shape

CONNECTOR (Optional)



T shape



L shape



X shape

A4535




FEATURES

- Internal width: 15.2 mm
- Material: Anodized aluminum extrusion
- Length: 1~3 meter
- Dimension: 45×34.5 mm
- Application: Ceiling decoration
- Customized color can be ordered




PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1
1~3 Meter





PC Cover x1
Transparent
Milky/Frosted



End Cap x2
1 with hole
1 without hole

PROJECT






A6014



FEATURES

Internal width: 21
 Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Dimension: 60.55×14.17 mm
 Application: Gypsum / Plaster recessed lighting
 Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1
1~3 Meter

PC Cover x1
Transparent
Frosted
Milky

End Cap x2
1 with hole
1 without hole




C3315



FEATURES

Internal width: 8 mm
 Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Dimension: 33×15 mm
 Application: Surface
 Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1
1~3 Meter

PC Cover x1
Transparent
Frosted
Milky

End Cap x2
1 with hole
1 without hole

Mounting Clip x2
Metal




C5320



FEATURES

Internal width: 8.2 mm
 Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Dimension: 53×20 mm
 Application: Recessed
 Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1
1~3 Meter


PC Cover x1
Transparent
Frosted
Milky

End Cap x2
1 with hole
1 without hole

Screw For End Cap x4
KM2X5 mm



Mounting Clip x2
Spring



W001/W001- W



FEATURES

Internal width: 12.1 mm
 Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Dimension: 17.9×40.7 mm
 Application: Surface
 Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1
1~3 Meter

PC Cover x1
Transparent
Frosted
Milky

End Cap x2
Left+Right
Both without hole

Mounting Clip x2
Plastic

OPTIONAL ACCESSORIES



Mounting Clip x2
Metal



W003



FEATURES

Internal width: 12.4 mm
 Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Dimension: 70×29.2 mm
 Application: Recessed
 Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1 1~3 Meter	PC Cover x1 Transparent Frosted Milky	End Cap x2 1 with hole 1 without hole	Screw For End Cap x2 KA2.6X8 mm
-------------------------	------------------------------------------------	---------------------------------------------	------------------------------------



Mounting Clip x2
Spring




W004



FEATURES

Internal width: 10.5 mm
 Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Dimension: 56.3×22.22 mm
 Application: Gypsum / Plaster Inner corner lighting
 Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1 1~3 Meter	PC Cover x1 Transparent Frosted Milky	End Cap x2 1 with hole 1 without hole
-------------------------	------------------------------------------------	---------------------------------------------



W005



FEATURES

Internal width: 10.5 mm
 Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Dimension: 39.4×27.1mm
 Application: Gypsum / Plaster Inner corner lighting
 Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1 1~3 Meter	PC Cover x1 Transparent Frosted Milky	End Cap x2 1 with hole 1 without hole
-------------------------	------------------------------------------------	---------------------------------------------




W006




FEATURES

Internal width: 20 mm
 Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Dimension: 115×43.8mm
 Application: Stair
 Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1 1~3 Meter	PC Cover x1 Transparent Frosted Milky	End Cap x2 1 with hole 1 without hole	Mounting Clip x2 Metal
-------------------------	------------------------------------------------	---------------------------------------------	---------------------------



W007



W008



W009




W011




FEATURES

Internal width: 14.2 mm
 Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Dimension: 54×14.6 mm
 Application: Gypsum / Plaster recessed lighting
 Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES




OPTIONAL ACCESSORIES




FEATURES

Internal width: 36.9 mm
 Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Dimension: 88×18.6 mm
 Application: Gypsum / Plaster recessed lighting
 Customized color can be ordered


PRODUCT SIZE



STANDARD ACCESSORIES




CONNECTOR (Optional)



FEATURES

Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Application: Surface
 Customized color can be ordered

PRODUCT SIZE




STANDARD ACCESSORIES



FEATURES

Internal width: 14.24 mm
 Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Dimension: 54×15.01mm
 Application: Cabinet, supermarket, home furnishings
 Customized color can be ordered


PRODUCT SIZE



STANDARD ACCESSORIES



CONNECTOR (Optional)






W012



FEATURES

Internal width: 21mm
 Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Dimension: 71.6×14mm
 Application: Cabinet,supermarket,home furnishings
 Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES




Profile x1 1~3 Meter	PC Cover x1 Transparent Frosted Milky	End Cap x2 1 with hole 1 without hole
-------------------------	------------------------------------------------	---------------------------------------------

CONNECTOR (Optional)



L shape	X shape	T shape
---------	---------	---------




W4010



FEATURES

Internal width: 10.29mm
 Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Dimension: 41.07×9.76mm
 Application: Cabinet,supermarket,home furnishings
 Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1 1~3 Meter	PC Cover x1 Transparent Frosted Milky	End Cap x2 1 with hole 1 without hole
-------------------------	------------------------------------------------	---------------------------------------------



STEP/FLOOR SERIES




B1908



FEATURES

Internal width: 11.2mm
 Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Dimension: 19.2×8.5 mm
 Application: Floor
 Customized color can be ordered


PRODUCT SIZE



STANDARD ACCESSORIES



<u>Profile x1</u> 1~3 Meter	<u>PC Cover x1</u> Thickness: 2.2mm Frosted Milky Transparent	<u>End Cap x2</u> 1 with hole 1 without hole
--------------------------------	---------------------------------------------------------------------------	----------------------------------------------------




C2626



FEATURES

Internal width: 17 mm
 Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Dimension: 26×26 mm
 Application: Floor
 Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES




<u>Profile x1</u> 1~3 Meter	<u>PC Cover x1</u> Thickness: 5.6mm Frosted Milky Transparent	<u>End Cap x2</u> 1 with hole 1 without hole
--------------------------------	---------------------------------------------------------------------------	----------------------------------------------------

S001/S001-B




FEATURES


Internal width: 12.2 mm
 Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Dimension: 59.2×21.7 mm
 Application: Stair
 Customized color can be ordered



PRODUCT SIZE



STANDARD ACCESSORIES



<u>Profile x1</u> 1~3 Meter	<u>PC Cover x1</u> Transparent Frosted Milky	<u>End Cap x2</u> 1 with hole 1 without hole	<u>Screw For End Cap x2</u> KA2.6X8 mm
--------------------------------	-------------------------------------------------------	----------------------------------------------------	-------------------------------------------

S002




FEATURES

Internal width: up 8mm and down 10mm
 Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Dimension: 80.98×41.60 mm
 Application: Stair
 Customized color can be ordered




PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1
1~3 Meter



PC Cover x1
Transparent
Frosted
Milky



End Cap x2
1 with hole
1 without hole



Screw For End Cap x2
KA3X8 mm



Anti-slip Rubber x2
1~3 Meter

S003




FEATURES

Internal width: 14.2 mm
 Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Dimension: 65.99×27.36 mm
 Application: Stair
 Customized color can be ordered




PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1
1~3 Meter



PC Cover x1
Transparent
Frosted
Milky



End Cap x2
1 with hole
1 without hole



Screw For End Cap x4
KA2.3X10 mm

OPTIONAL ACCESSORIES

Row Number



Step-LED



SHOP FITTING/SHELVES LIGHTING SERIES




A2820



FEATURES

Internal width: 13.4mm
 Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Dimension: 20.4×28mm
 Application: Cabinet
 Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1
1~3 Meter



PC Cover x1
Thickness: 2.2mm
Frosted
Milky
Transparent



End Cap x2
1 with hole
1 without hole




A2508



FEATURES

Internal width: 5.6 mm
 Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Dimension: 25×8 mm
 Application: Recessed
 Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1
1~3 Meter



PC Cover x1
Transparent
Frosted
Milky



End Cap x2
1 with hole
1 without hole



WATERPROOF/PLASTIC SERIES




IP001



FEATURES

Internal width: 12.5mm
 Material: PC
 Length: 1~3 meter
 Dimension: 17×14.9 mm
 IP Rate: IP65 with silicone resin encapsulated
 Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1
1~3 Meter

End Cap ×2
1 with hole
1 without hole

Mounting Clip x2

OPTIONAL ACCESSORIES



Aluminum Slat
For LED Strip




IP002



FEATURES

Internal width: 8.91 mm
 Material: PC
 Length: 1~3 meter
 Dimension: 11.4×114.4mm
 IP Rate: IP65 with silicone resin encapsulated
 Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1
1~3 Meter

End Cap ×2
1 with hole
1 without hole

Mounting Clip x2

OPTIONAL ACCESSORIES



Aluminum Slat
For LED Strip




IP003



FEATURES

Internal width: 10.2mm
 Material: PMMA
 Length: 1~3 meter
 Dimension: 14×18.5mm
 IP Rate: IP65 with silicone resin encapsulated
 Customized color can be ordered

PRODUCT SIZE




STANDARD ACCESSORIES



PMMA Profile x1
1~3 Meter

Mounting Clip x2
Metal




IP004+A2519




FEATURES

Internal width: 17 mm
 Material: PMMA
 Length: 1~3 meter
 Dimension: 25×19.3mm
 IP rate: IP65 with silicone resin encapsulated
 Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



PMMA Profile
IP004 x1

Aluminum Profile
A2519 x1

End Cap ×2
1 with hole
1 without hole

OPTIONAL ACCESSORIES



Aluminum Slat
For LED Strip

ROUND SHAPE SERIES

A1818




FEATURES


- Internal width: 12.2mm
- Material: Anodized aluminum extrusion
- Length: 1~3 meter
- Dimension: 18.42×16.6mm
- Application: Surface
- Customized color can be ordered




PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1
1~3 Meter



PC Cover x1
Transparent
Frosted
Milky



End Cap x2
1 with hole
1 without hole



Mounting Clip x2
Metal

PROJECT




R001




FEATURES

- Internal width: 12.2mm
- Material: Anodized aluminum extrusion
- Length: 1~3 meter
- Dimension: 23.9×23.9 mm
- Application: Wardrobe/Cabinet/Ceiling
- Customized color can be ordered




PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1
1~3 Meter



PC Cover x1
Transparent
Milky/Frosted



End Cap x2
1 with hole
1 without hole

OPTIONAL ACCESSORIES



End cap closet
A1



Angle adjustable
wall clip A2



Hanging fixture
A3




1.5m steel rope x1 set
A4



Wall mounting fixtures
A5

PROJECT



R002



FEATURES

- Internal width: 24.18 mm
- Material: Anodized aluminum extrusion
- Length: 1~3 meter
- Dimension: 35×35 mm
- Application: Pendant / Surface
- Customized color can be ordered




PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1
1~3 Meter



PC Cover x1
Transparent
Milky
Frosted



End Cap x2
1 with hole
1 without hole

OPTIONAL ACCESSORIES





Hanging fixture
A3



1.5m steel rope x 1 set
A4

PROJECT




R003



FEATURES

- Internal width: 11.8 mm
- Material: Anodized aluminum extrusion
- Length: 1~3 meter
- Dimension: 29.77×14.5 mm
- Application: Wardrobe
- Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1
1~3 Meter



PC Cover x1
Transparent
Frosted
Milky

OPTIONAL ACCESSORIES



Metal End Cap



Hanging Bracket




R60



FEATURES

- Internal width: 30 mm
- Material: Anodized aluminum extrusion
- Length: 1~3 meter
- Dimension: 59.8x59.8 mm
- Application: Pendant
- Beam angle: 180°
- Customized color can be ordered

PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1
1~3 Meter



PC Cover x1
Transparent
Frosted
Milky



End Cap x2
Screw For End Cap x4
KA3x8 mm

OPTIONAL ACCESSORIES



1.5m steel rope x1 set

PENDANT/SUSPENSION SERIES

A1732




FEATURES


- Internal width: 12 mm
- Material: Anodized aluminum extrusion
- Length: 1~3 meter
- Dimension: 17.44×31.45mm
- Application: Pendant / Surface
- Light up and down
- Customized color can be ordered



PRODUCT SIZE



STANDARD ACCESSORIES



- Profile x1
1~3 Meter
- PC Cover x2
Transparent
Milky/ Frosted
- End Cap x2
2 without hole



- Mounting Clip x2
Metal

OPTIONAL ACCESSORIES



- 1.5m steel rope x1 set
- 180°connector
- HM4x4 screw

PROJECT



F3545




FEATURES


- Internal width: 31 mm
- Material: Anodized aluminum extrusion
- Length: 1~3 meter
- Dimension: 35×45.05 mm
- Application: Pendant
- Customized color can be ordered



PRODUCT SIZE



STANDARD ACCESSORIES



- Profile x1
1~3 Meter
- PC Cover x2
Transparent
Milky/ Frosted
- End Cap x2
Metal



- Screw For End Cap x8
KA2x6 mm



- Mounting Clip
Metal

OPTIONAL ACCESSORIES



- 1.5m steel rope x1 set

PROJECT



C3535




FEATURES


Internal width: 24.18 mm
 Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Dimension: 35x35 mm
 Application: Pendant / Surface
 Customized color can be ordered



PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1
1~3 Meter



PC Cover x1
Transparent
Milky/ Frosted



End Cap x2
Metal
1 with hole
1 without hole



Screw For End Cap x4
KM2x5 mm



Mounting Clip
Metal

OPTIONAL ACCESSORIES




1.5m steel rope x1set

CONNECTOR (Optional)



L shape



X shape



T shape



1) C1: 180° connector
 2) C2: 90° surface connector
 3) C3: 90° vertical connector
 4) HM4x4mm screw

PROJECT




A5570/A5570-B/A5570-W



FEATURES

Internal width: 37 mm
 Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Dimension: 55x70 mm
 Application: Pendant / Surface
 220V AC driver can be put inside the aluminum profile
 Customized color can be ordered




PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1
1~3 Meter




PC Cover x1
Transparent
Milky/ Frosted/Black



End Cap x2
Metal



Screw For End Cap x8
KM2x5 mm



Mounting Clip x2
Metal

OPTIONAL ACCESSORIES



1.5m steel rope x1set



New end cap x2pcs
Metal

CONNECTOR (Optional)



L shape



X shape



T shape




1) C1: 180° connector
 2) C2: 90° surface connector
 3) C3: 90° vertical connector
 4) HM4x4mm screw

PROJECT




A9080




FEATURES

Internal width: 86 mm
 Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Dimension: 90×80 mm
 Application: Pendant / Surface
 220V AC driver can be put inside the aluminum profile
 Customized color can be ordered


PRODUCT SIZE



STANDARD ACCESSORIES



Profile x1
1~3 Meter



B9080: Steel bar inter-connector



End Cap x2
Metal



Screw For End Cap x8
KA2x6 mm



PC Cover x1
Transparent
Milky/ Frosted

OPTIONAL ACCESSORIES



1.5m steel rope x1 set




C9080: Steel bar inter-connector

PROJECT




PE001A



FEATURES

Internal width: 138 mm
 Material: Anodized aluminum extrusion
 Length: 1~3 meter
 Dimension: 153.77×37.2 mm
 Application: Pendant/Surface
 Customized color can be ordered


PRODUCT SIZE




STANDARD ACCESSORIES



Profile x1
1~3 Meter



PC Cover x1
Transparent
Milky/ Frosted



End Cap x2



Screw For End Cap x4
KA3x8 mm

OPTIONAL ACCESSORIES



1.5m steel rope x1 set



Hanging plate
PE001B




Driver box PE001C
With LED driver built inside
With KA3.5X10 mm screw

PROJECT



BENDABLE RECESSED ALUMINIUM PROFILE



W3213



Internal Width: 10.1 mm

Material: Anodized Aluminum Extrusion

Length: 1~3 meter


Dimension: 32.5×13 mm

Application: Gypsum/Plaster Recessed Lighting

Customized color can be ordered

Minimum bending radius of aluminum profile center: R240mm

Accessories: Profile x 1+ Silicone Cover x 1 + End Capx 2



W5213



Internal Width: 10.1 mm

Material: Anodized Aluminum Extrusion

Length: 1~3 meter

Dimension: 52.4×13 mm


Application: Gypsum/Plaster Recessed Lighting

Customized color can be ordered

Side bending radius: 600mm(Min)

Front bending radius: 600mm(Min)

Accessories: Profile x 1+ Silicone Cover x 1 + End Capx 2



W5513



Internal Width: 12.9mm

Material: Anodized Aluminum Extrusion

Length: 1~3 meter

Dimension: 55.3×14.8mm

Application: Gypsum/Plaster Recessed Lighting

Customized color can be ordered

Side bending radius: 600mm(Min)

Front bending radius: 600mm(Min)

Accessories: Profile x 1+ Silicone Cover x 1 + End Capx 2

